

Day : Monday
Date: 3/19/2007

PALM INTRANET

Time: 13:13:09

Inventor Name Search Result

Your Search was:

Last Name = CHANG

First Name = JUNG

| Application# | Patent# | Status | Date Filed | Title | Inventor Name |
|-----------------|----------------|--------|------------|--|----------------------|
| <u>07349798</u> | <u>D323606</u> | 150 | 05/09/1989 | ELECTRIC DRILL | CHANG, JUNG C. |
| <u>07381534</u> | <u>4932294</u> | 150 | 07/18/1989 | DIY ELECTRIC HAND TOOL HAVING A CHAMBER FOR ACCOMMODATING TOOL HEADS NOT IN USE | CHANG, JUNG C. |
| <u>09717014</u> | <u>6441766</u> | 150 | 11/22/2000 | CHARGE INTEGRATION ALGORITHMIC ANALOG-TO- DIGITAL CONVERTER AND ITS CONVERTING METHOD | CHANG, JUNG CHE |
| <u>07352246</u> | <u>4912349</u> | 150 | 05/16/1989 | DIY PIVOTALLY ADJUSTABLE ELECTRIC HAND TOOL | CHANG, JUNG CHIN |
| <u>10964725</u> | Not Issued | 71 | 10/15/2004 | Semiconductor package | CHANG, JUNG CHUNG |
| <u>10457933</u> | Not Issued | 161 | 06/10/2003 | Method for laminating a material layer onto a transparent substrate | CHANG, JUNG FANG |
| <u>10628893</u> | <u>7045441</u> | 150 | 07/28/2003 | METHOD FOR FORMING A SINGLE-CRYSTAL SILICON LAYER ON A TRANSPARENT SUBSTRATE | CHANG, JUNG FANG |
| <u>07561630</u> | <u>5212693</u> | 150 | 08/02/1990 | SMALL PROGRAMMABLE ARRAY TO THE ON-CHIP CONTROL STORE FOR MICROCODE CORRECTION | CHANG, JUNG H. |
| <u>07578035</u> | <u>5305451</u> | 250 | 09/05/1990 | SINGLE PHASE CLOCK DISTRIBUTION CIRCUIT FOR PROVIDING CLOCK SIGNALS TO MULTIPLE CHIP INTEGRATED CIRCUIT SYSTEMS | CHANG, JUNG H. |
| <u>08174357</u> | <u>5465347</u> | 250 | 12/28/1993 | SYSTEM FOR REDUCING PHASE DIFFERENCE | CHANG, JUNG HERNG |

| | | | | | |
|-----------------|----------------|-----|------------|--|------------------|
| | | | | BETWEEN CLOCK SIGNALS OF INTEGRATED CIRCUIT CHIPS BY COMPARING CLOCK SIGNALS FROM ONE CHIP TO CLOCK SIGNAL FROM ANOTHER CHIP | |
| <u>10311274</u> | <u>6866784</u> | 150 | 12/16/2002 | SLURRY RECYCLING SYSTEM AND METHOD FOR CMP APPARATUS | CHANG, JUNG HOON |
| <u>11654529</u> | Not Issued | 20 | 01/18/2007 | Reactor or heat exchanger with improved heat transfer performance | CHANG, JUNG HOON |
| <u>11700056</u> | Not Issued | 25 | 01/31/2007 | Baffle structure improving heat transfer efficiency of reactor or heat exchanger | CHANG, JUNG HOON |
| <u>09715574</u> | Not Issued | 161 | 11/15/2000 | Cooking grill having heat concentrating configuration | CHANG, JUNG HSIN |
| <u>10944417</u> | Not Issued | 41 | 09/20/2004 | System for integrating linear motion guide and reluctance-type linear motor | CHANG, JUNG HWAN |
| <u>10965212</u> | Not Issued | 41 | 10/15/2004 | System for integrating linear motion guide and linear induction motor | CHANG, JUNG HWAN |
| <u>11647044</u> | Not Issued | 20 | 12/28/2006 | Permanent magnet excited transverse flux motor with outer rotor | CHANG, JUNG HWAN |
| <u>09010615</u> | <u>5865200</u> | 250 | 01/22/1998 | COLLAPSIBLE UMBRELLA WITH A RELIABLE AND SMOOTH SELF-OPENING MECHANISM | CHANG, JUNG JEN |
| <u>09146462</u> | <u>6131590</u> | 250 | 09/03/1998 | COLLAPSIBLE UMBRELLA STRUCTURE WITH HAND PROTECTION | CHANG, JUNG JEN |
| <u>11225112</u> | Not Issued | 30 | 09/14/2005 | Architecture of program address generation capable of executing wait and delay instructions | CHANG, JUNG LIN |
| <u>11376234</u> | Not Issued | 25 | 03/16/2006 | Autonomous multi-microcontroller system and the control method thereof | CHANG, JUNG LIN |
| <u>11403857</u> | Not Issued | 30 | 04/14/2006 | Multiple microcontroller system, instruction, and instruction execution method for the same | CHANG, JUNG LIN |
| <u>09698253</u> | <u>6281418</u> | 250 | 10/30/2000 | Spring hanging block for the pedal mechanism of a base drum | CHANG, JUNG PIN |
| <u>07765723</u> | Not | 161 | 09/26/1991 | WOODEN BALL BAT | CHANG, JUNG |

| | Issued | | | | SHIH |
|-----------------|----------------|-----|------------|---|-------------------|
| <u>10347794</u> | Not Issued | 161 | 01/22/2003 | Electronic card with high bandwidth and extended functions | CHANG, JUNG TA |
| <u>10357367</u> | <u>6944701</u> | 150 | 02/04/2003 | PORTABLE USB DEVICE BUILT WITH RECHARGEABLE FUNCTIONAL APPARATUS | CHANG, JUNG TA |
| <u>10812471</u> | Not Issued | 71 | 03/30/2004 | Memory card having a plurality of different interfaces | CHANG, JUNG TA |
| <u>11649100</u> | Not Issued | 25 | 01/03/2007 | Hinge assembly | CHANG, JUNG-BIN |
| <u>11076933</u> | <u>7061769</u> | 150 | 03/11/2005 | USB/OTG-INTERFACE STORAGE CARD | CHANG, JUNG-CHE |
| <u>11249672</u> | Not Issued | 30 | 10/13/2005 | Single-chip multi-output graphic system | CHANG, JUNG-CHE |
| <u>10431516</u> | Not Issued | 161 | 05/08/2003 | Lens for scanners | CHANG, JUNG-CHIAO |
| <u>10750826</u> | Not Issued | 30 | 01/05/2004 | Image chromatism compensation method | CHANG, JUNG-CHIAO |
| <u>10798392</u> | Not Issued | 30 | 03/12/2004 | Scanner | CHANG, JUNG-CHIAO |
| <u>10814174</u> | <u>7079791</u> | 150 | 04/01/2004 | APPARATUS FOR REDUCING WARM-UP TIME BY AUXILIARY LIGHT SOURCE AND METHOD FOR THE SAME | CHANG, JUNG-CHIAO |
| <u>10825423</u> | Not Issued | 30 | 04/16/2004 | Method for controlling the on/off function of an LED in a scanner | CHANG, JUNG-CHIAO |
| <u>10865925</u> | Not Issued | 161 | 06/14/2004 | Contact image sensor module | CHANG, JUNG-CHIAO |
| <u>10965827</u> | Not Issued | 30 | 10/18/2004 | Carriage used in image scanning devices | CHANG, JUNG-CHIAO |
| <u>10615138</u> | Not Issued | 161 | 07/09/2003 | Packaging method for thin integrated circuits | CHANG, JUNG-CHIEN |
| <u>10615139</u> | Not Issued | 41 | 07/09/2003 | Method for preparing thin integrated circuits with multiple circuit layers | CHANG, JUNG-CHIEN |
| <u>10631753</u> | <u>6963476</u> | 150 | 08/01/2003 | METHOD FOR MANUFACTURING RESETTABLE FUSES AND THE RESETTABLE FUSE | CHANG, JUNG-CHIEN |
| <u>10646765</u> | Not Issued | 161 | 08/25/2003 | Lighting device composed of a thin light emitting diode module | CHANG, JUNG-CHIEN |
| <u>10825662</u> | Not | 161 | 04/16/2004 | Functional printed circuit board | CHANG, JUNG- |

| | | | | | |
|--------------------------|-------------------------|-----|------------|--|------------------|
| | Issued | | | module with an embedded chip | CHIEN |
| 11476159 | Not Issued | 25 | 06/28/2006 | Lamp apparatus with alarm function | CHANG, JUNG-CHIE |
| 11484643 | Not Issued | 30 | 07/12/2006 | Surface plasmon resonance detector | CHANG, JUNG-CHIE |
| 08612132 | 5706729 | 150 | 03/07/1996 | LABEL MAKING MACHINE | CHANG, JUNG-CHIE |
| 10249571 | Not Issued | 41 | 04/21/2003 | MULTI-CHANNEL EARPHONE MODULE | CHANG, JUNG-CHIE |
| 11187142 | Not Issued | 30 | 07/22/2005 | Ribbon module structure of label printer | CHANG, JUNG-CHIE |
| 11191917 | Not Issued | 30 | 07/29/2005 | Slim type remote control | CHANG, JUNG-CHIE |
| 10838728 | Not Issued | 61 | 05/03/2004 | Artificial leather | CHANG, JUNG-CHIE |
| 11375877 | Not Issued | 30 | 03/15/2006 | Method for producing artificial leather | CHANG, JUNG-CHIE |

[Search and Display More Records.](#)

| | | | |
|---------------------------------|------------------------------------|-----------------------------------|---------------------------------------|
| | Last Name | First Name | |
| Search Another: Inventor | <input type="text" value="chang"/> | <input type="text" value="jung"/> | <input type="button" value="Search"/> |

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

Day : Monday
Date: 3/19/2007

PALM INTRANET

Time: 13:13:49

Inventor Name Search Result

Your Search was:

Last Name = CHIEN

First Name = HSIN

| Application# | Patent# | Status | Date Filed | Title | Inventor Name |
|-----------------|----------------|--------|------------|---|------------------|
| <u>10697023</u> | Not Issued | 161 | 10/31/2003 | Fluorescent lamp with compensation for ineffective luminance thereof | CHIEN, HSIN TANG |
| <u>10831692</u> | <u>7011293</u> | 150 | 04/23/2004 | WATER-SAVING DEVICE FOR A FAUCET | CHIEN, HSIN-FENG |
| <u>11029490</u> | <u>7140597</u> | 150 | 01/06/2005 | CARPET STRETCHING DEVICE | CHIEN, HSIN-FENG |
| <u>11076799</u> | Not Issued | 161 | 03/10/2005 | Holding device for holding an electronic component | CHIEN, HSIN-FENG |
| <u>11353414</u> | Not Issued | 25 | 02/14/2006 | Holding device for holding a tested electronic module | CHIEN, HSIN-FENG |
| <u>10210032</u> | Not Issued | 161 | 08/02/2002 | Method for reduced photoresist usage | CHIEN, HSIN-HUNG |
| <u>10241486</u> | Not Issued | 161 | 09/12/2002 | Method for detecting solvent leakage during manufacture of a semiconductor device | CHIEN, HSIN-HUNG |
| <u>10141994</u> | Not Issued | 161 | 05/08/2002 | Method for decreasing wafer scrap rate for a chemical treatment apparatus | CHIEN, HSIN-TA |
| <u>10142795</u> | Not Issued | 161 | 05/13/2002 | Chemical bath having liquid level indications in outer trough | CHIEN, HSIN-TA |
| <u>10279937</u> | Not Issued | 161 | 10/25/2002 | Wet cleaning device | CHIEN, HSIN-TA |
| <u>10299823</u> | Not Issued | 71 | 11/20/2002 | Method and apparatus for increasing scanning resolution | CHIEN, HSIN-TANG |
| <u>10431516</u> | Not Issued | 161 | 05/08/2003 | Lens for scanners | CHIEN, HSIN-TANG |
| <u>10620344</u> | <u>7121682</u> | 150 | 07/17/2003 | SCANNING DEVICE | CHIEN, HSIN-TANG |
| <u>10750826</u> | Not Issued | 30 | 01/05/2004 | Image chromatism compensation method | CHIEN, HSIN-TANG |
| <u>10814174</u> | <u>7079791</u> | 150 | 04/01/2004 | APPARATUS FOR REDUCING | CHIEN, HSIN-TANG |

| | | | | | |
|-----------------|----------------|-----|------------|--|-------------------------|
| | | | | WARM-UP TIME BY AUXILIARY LIGHT SOURCE AND METHOD FOR THE SAME | |
| <u>10869947</u> | Not Issued | 161 | 06/18/2004 | Apparatus for heat dissipation and dissipation fluid therein | CHIEN, HSIN-TANG |
| <u>10911695</u> | Not Issued | 25 | 08/05/2004 | Scanning module | CHIEN, HSIN-TANG |
| <u>10928101</u> | Not Issued | 30 | 08/30/2004 | Connecting mechanism for scan carriage and axial rod | CHIEN, HSIN-TANG |
| <u>11007240</u> | <u>7167289</u> | 150 | 12/09/2004 | FOCUSING MODULE | CHIEN, HSIN-TANG |
| <u>60815374</u> | Not Issued | 20 | 06/20/2006 | Novel miniature capacitive transducer | CHIEN, HSIN-TANG |
| <u>06404668</u> | Not Issued | 161 | 08/03/1982 | PAPER PULP PURIFIER | CHIEN, HSING- TS'ANG |
| <u>11419685</u> | Not Issued | 20 | 05/22/2006 | SUPPRESSION OF HOT- CARRIER EFFECTS USING DOUBLE WELL FOR THIN GATE OXIDE LDMOS EMBEDDED IN HV PROCESS | CHIEN, HSING-YI |
| <u>11399562</u> | Not Issued | 30 | 04/05/2006 | Adjustable contact image sensor scanner and adjustment method for the same | CHIEN, HSINTANG |

Inventor Search Completed: No Records to Display.

| | | | |
|--------------------------|------------------------------------|-----------------------------------|--------|
| Search Another: Inventor | Last Name | First Name | Search |
| | <input type="text" value="chien"/> | <input type="text" value="hsin"/> | |

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

Day : Monday
Date: 3/19/2007

Time: 13:13:29

PALM INTRANET

Inventor Name Search Result

Your Search was:

Last Name = CHOU

First Name = MING

| Application# | Patent# | Status | Date Filed | Title | Inventor Name |
|-----------------|----------------|--------|------------|--|-------------------|
| <u>09754095</u> | Not Issued | 161 | 01/05/2001 | High power-budget optical crossconnect with optoelectronic interfaces and forward error correction | CHOU, MING |
| <u>09756672</u> | <u>6597827</u> | 150 | 01/10/2001 | VOLTAGE REDUCTION IN INTEGRATED CONTROL SYSTEMS OF MIRRORS | CHOU, MING |
| <u>09756675</u> | Not Issued | 161 | 01/10/2001 | Sensing of mirror position and micro-mirror control | CHOU, MING |
| <u>09771639</u> | Not Issued | 164 | 01/30/2001 | OPTICAL SWITCH SYSTEM WITH TRANSPARENT OPTICAL INTERFACES | CHOU, MING |
| <u>10002618</u> | Not Issued | 164 | 12/05/2001 | ALL-OPTICAL SWITCH APPARATUS | CHOU, MING |
| <u>10020972</u> | Not Issued | 164 | 12/19/2001 | OPTICAL HITLESS SWITCH | CHOU, MING |
| <u>10798507</u> | Not Issued | 41 | 03/12/2004 | Mobile disinfection apparatus | CHOU, MING - SONG |
| <u>10629212</u> | <u>7134978</u> | 150 | 07/28/2003 | SEAMLESS BB PAINTBALL | CHOU, MING CHERNG |
| <u>11357062</u> | Not Issued | 30 | 02/21/2006 | Seamless BB paintball | CHOU, MING CHERNG |
| <u>10152742</u> | Not Issued | 161 | 05/21/2002 | Seamless paint ball | CHOU, MING CHERNG |
| <u>11279876</u> | Not Issued | 30 | 04/14/2006 | Biodegradable BB Pellet | CHOU, MING CHERNG |
| <u>10905110</u> | Not Issued | 30 | 12/16/2004 | DISPLAY MODULE HOUSING | CHOU, MING CHUAN |
| <u>11161527</u> | Not Issued | 25 | 08/08/2005 | LED | CHOU, MING CHUAN |
| <u>11162324</u> | Not Issued | 30 | 09/07/2005 | DISPLAY | CHOU, MING CHUAN |

| | | | | | |
|-----------------|----------------|-----|------------|--|------------------|
| <u>11162493</u> | Not Issued | 30 | 09/13/2005 | FLAT DISPLAY MODULE | CHOU, MING CHUAN |
| <u>11306296</u> | Not Issued | 30 | 12/21/2005 | Display | CHOU, MING CHUAN |
| <u>09218852</u> | Not Issued | 161 | 12/21/1998 | LOCK NUT HAVING A SELF LOCKING DEVICE | CHOU, MING CHUNG |
| <u>10768017</u> | <u>6915844</u> | 150 | 02/02/2004 | COOLING DEVICE | CHOU, MING DE |
| <u>07900149</u> | Not Issued | 161 | 06/17/1992 | CONTROL CIRCUIT FOR AN EXERCISE BICYCLE | CHOU, MING F. |
| <u>07992173</u> | Not Issued | 161 | 12/17/1992 | INTERFACE CIRCUIT FOR EXERCISE BICYCLES | CHOU, MING F. |
| <u>11476219</u> | Not Issued | 30 | 06/28/2006 | Apparatus and method for detecting vertical blanking interval | CHOU, MING FENG |
| <u>29056703</u> | <u>D384384</u> | 150 | 07/08/1996 | BOOT AND FRAME FOR IN-LINE ROLLER SKATE | CHOU, MING HO |
| <u>11683904</u> | Not Issued | 19 | 01/01/0001 | Method For Preparing A Periodically Poled Structure | CHOU, MING HSIEN |
| <u>10195706</u> | <u>7196369</u> | 150 | 07/15/2002 | PLASMA DAMAGE PROTECTION CIRCUIT FOR A SEMICONDUCTOR DEVICE | CHOU, MING HUNG |
| <u>11190539</u> | <u>7147336</u> | 150 | 07/28/2005 | LIGHT AND FAN DEVICE COMBINATION | CHOU, MING SHI |
| <u>29230148</u> | <u>D533098</u> | 150 | 05/18/2005 | COVER PANEL FOR METERS | CHOU, MING TSUNG |
| <u>08058779</u> | Not Issued | 161 | 04/28/1993 | COMPUTER KEYBOARD WITH X-Y DIRECTION INPUT DEVICE | CHOU, MING-CHANG |
| <u>09066779</u> | Not Issued | 161 | 04/27/1998 | COMPUTER MAINFRAME WITH IMAGE PROJECTION FUNCTION | CHOU, MING-CHANG |
| <u>11135487</u> | Not Issued | 161 | 05/24/2005 | Ratchet wrench | CHOU, MING-CHAO |
| <u>09516960</u> | <u>6313293</u> | 150 | 03/01/2000 | Preparation of amides and quinazoline derivatives | CHOU, MING-CHEN |
| <u>11039283</u> | Not Issued | 30 | 01/20/2005 | Synthesis of polyamine compounds | CHOU, MING-CHEN |
| <u>11087185</u> | Not Issued | 161 | 03/22/2005 | Shock-resistant magnetic storage medium for a portable electronic device | CHOU, MING-CHEN |
| <u>11451771</u> | Not Issued | 30 | 06/13/2006 | Pyrimidine compounds | CHOU, MING-CHEN |
| <u>11451897</u> | Not | 30 | 06/13/2006 | Pyrimidine compounds | CHOU, MING- |

| | | | | | |
|-----------------|----------------|-----|------------|--|------------------|
| | Issued | | | | CHEN |
| <u>60690267</u> | Not Issued | 159 | 06/14/2005 | Pyrimidine compounds | CHOU, MING-CHEN |
| <u>60798596</u> | Not Issued | 20 | 05/08/2006 | Pyrimidine compounds | CHOU, MING-CHEN |
| <u>11340668</u> | Not Issued | 30 | 01/27/2006 | Illumination module | CHOU, MING-CHIEH |
| <u>11582298</u> | Not Issued | 30 | 10/18/2006 | High power light emitting device assembly with ESD protection ability and the method of manufacturing the same | CHOU, MING-CHIEH |
| <u>08494814</u> | <u>5832854</u> | 250 | 06/26/1995 | PROTRUDING EMBROIDERY PROCESS | CHOU, MING-CHIN |
| <u>09021119</u> | <u>5947044</u> | 150 | 02/10/1998 | PROCESS AND CONFIGURATION OF PROTRUDING EMBROIDERY | CHOU, MING-CHIN |
| <u>09138769</u> | Not Issued | 161 | 08/24/1998 | LINT REMOVER | CHOU, MING-CHIN |
| <u>09382312</u> | <u>6164228</u> | 150 | 08/24/1999 | PROCESS AND CONFIGURATION OF PROTRUDING EMBROIDERY | CHOU, MING-CHIN |
| <u>10843344</u> | <u>6925947</u> | 150 | 05/12/2004 | PROCESS AND CONFIGURATION OF MULTILAYER PROTRUDING EMBROIDERY | CHOU, MING-CHIN |
| <u>09300831</u> | <u>6116492</u> | 150 | 04/28/1999 | JIG FOR FACILITATING SURFACE - SOLDERING PIN TO LAMINATED METAL SHEET | CHOU, MING-CHING |
| <u>10436254</u> | Not Issued | 161 | 05/13/2003 | Heat spreaders | CHOU, MING-CHING |
| <u>09523698</u> | Not Issued | 160 | 03/13/2000 | Loose prevention pocket nut structure | CHOU, MING-CHONG |
| <u>09547330</u> | Not Issued | 161 | 04/11/2000 | Structure of a loose prevention screw-nut cap | CHOU, MING-CHONG |
| <u>10109705</u> | Not Issued | 161 | 04/01/2002 | Loose prevention pocket nut structure | CHOU, MING-CHONG |
| <u>10665533</u> | Not Issued | 161 | 09/22/2003 | Organic light-emitting double-faced display device | CHOU, MING-CHUAN |
| <u>09294052</u> | <u>6261852</u> | 150 | 04/19/1999 | CHECK ABNORMAL CONTACT AND VIA HOLES BY ELECTROPLATING METHOD | CHOU, MING-CHUN |

[Search and Display More Records.](#)

| | Last Name | First Name | |
|---------------------------------|-----------------------------------|-----------------------------------|---------------------------------------|
| Search Another: Inventor | <input type="text" value="chou"/> | <input type="text" value="ming"/> | <input type="button" value="Search"/> |

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)